

Publications du LAPP

Année 2012

Publications par Collaboration/Groupe :

AMS	1
ATLAS	1
BABAR	6
CKMfitter	7
CMS	8
CTA	9
HESS	9
LHCb	10
NOMAD	12
OPERA	12
Virgo/LIGO	12
R&D Futurs Collisionneurs Linéaires	13
Hors Collaboration LAPP	14

AMS

Contributions écrites à des conférences avec comité de lecture

The electromagnetic calorimeter of the AMS-02 experiment
Vecchi M. et al., AMS Coll., Proceedings of SF2A Conference 2012 <http://hal.in2p3.fr/in2p3-00745677>

ATLAS

Articles dans des revues à comité de lecture

Measurement of the W to $\tau\nu$ cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment
Aad G. et al., ATLAS Coll., Physics Letters B706 (2012) 276-294 <http://hal.in2p3.fr/in2p3-00616707>

Measurement of the cross-section for b -jets produced in association with a Z boson at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B706 (2012) 295-313 <http://hal.in2p3.fr/in2p3-00620626>

Search for a heavy Standard Model Higgs boson in the channel $H \rightarrow ZZ \rightarrow \ell^+ \ell^- q \bar{q}$ using the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B707 (2012) 27-45 <http://hal.in2p3.fr/in2p3-00617175>

Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B707 (2012) 330-348 <http://hal.in2p3.fr/in2p3-00617932>

Measurement of the cross section for the production of a W boson in association with b -jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B707 (2012) 418-437 <http://hal.in2p3.fr/in2p3-00620629>

Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B707 (2012) 438-458 <http://hal.in2p3.fr/in2p3-00618988>

Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in dilepton final states with ATLAS
Aad G. et al., ATLAS Coll., Physics Letters B707 (2012) 459-477 <http://hal.in2p3.fr/in2p3-00615427>

Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS
Aad G.. et al., ATLAS Coll., Physics Letters B707 (2012) 478-496 <http://hal.in2p3.fr/in2p3-00623158>

A study of the material in the ATLAS inner detector using secondary hadronic interactions
Aad G. et al., ATLAS Coll., Journal of Instrumentation 7 (2012) P01013 <http://hal.in2p3.fr/in2p3-00653189>

Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data
Aad G. et al., ATLAS Coll., European Physical Journal C71 (2012) 1809 <http://hal.in2p3.fr/in2p3-00624331>

Search for massive colored scalars in four-jet final states in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector
Aad G. et al., ATLAS Coll., European Physical Journal C71 (2012) 1828 <http://hal.in2p3.fr/in2p3-00632568>

Measurement of the inclusive and dijet cross-sections of b -jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., European Physical Journal C71 (2012) 1846 <http://hal.in2p3.fr/in2p3-00636229>

K_s^0 and Λ production in pp interactions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector at the LHC
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 012001 <http://hal.in2p3.fr/in2p3-00639324>

Measurement of the isolated di-photon cross-section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 012003 <http://hal.in2p3.fr/in2p3-00606161>

Measurement of the transverse momentum distribution of W bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 012005 <http://hal.in2p3.fr/in2p3-00618984>

Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s} = 7 \text{ TeV}$ pp collisions using 1 fb^{-1} of ATLAS data
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 012006 <http://hal.in2p3.fr/in2p3-00628041>

Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 032004 <http://hal.in2p3.fr/in2p3-00657200>

Measurement of the production cross section for Z/γ^ in association with jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector*
Aad G.. et al., ATLAS Coll., Physical Review D85 (2012) 032009 <http://hal.in2p3.fr/in2p3-00640656>

Search for new phenomena in $t\bar{t}$ events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 041805 <http://hal.in2p3.fr/in2p3-00628305>

Measurement of the ZZ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 041804 <http://hal.in2p3.fr/in2p3-00635350>

Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at $\sqrt{s} = 7 \text{ TeV}$ collected by the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B708 (2012) 37-54 <http://hal.in2p3.fr/in2p3-00618985>

A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s} = 7$ TeV with ATLAS

Aad G. et al., ATLAS Coll., Physics Letters B708 (2012) 221-240
<http://hal.in2p3.fr/in2p3-00617174>

Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions

Aad G. et al., ATLAS Coll., Physics Letters B709 (2012) 137-157
<http://hal.in2p3.fr/in2p3-00653191>

Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B709 (2012) 158-176, erratum Physics Letters B711 (2012) 442-455
<http://hal.in2p3.fr/in2p3-00654171>

Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC

Aad G. et al., ATLAS Coll., Physics Letters B709 (2012) 322-340
<http://hal.in2p3.fr/in2p3-00637466>

Measurement of the $W^\pm Z$ production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B709 (2012) 341-357
<http://hal.in2p3.fr/in2p3-00644647>

Performance of missing transverse momentum reconstruction in proton-proton collisions at 7 TeV with ATLAS

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 1844 <http://hal.in2p3.fr/in2p3-00617929>

Performance of the ATLAS Trigger System in 2010

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 1849 <http://hal.in2p3.fr/in2p3-00632535>

Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 49-66
<http://hal.in2p3.fr/in2p3-00668181>

Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 67-85
<http://hal.in2p3.fr/in2p3-00628037>

Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 363-382
<http://hal.in2p3.fr/in2p3-00617928>

Search for the Standard Model Higgs boson in the decay channel $H \rightarrow ZZ^{()} \rightarrow 4\ell$ with 4.8 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV with ATLAS*

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 383-402
<http://hal.in2p3.fr/in2p3-00668406>

Search for diphoton events with large missing transverse momentum in 1 fb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 519-537
<http://hal.in2p3.fr/in2p3-00642465>

Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B710 (2012) 538-556
<http://hal.in2p3.fr/in2p3-00650710>

Measurement of D^{\pm} meson production in jets from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*

Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 052005
<http://hal.in2p3.fr/in2p3-00653697>

Search for excited leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 072003
<http://hal.in2p3.fr/in2p3-00660545>

Measurement of the inclusive W^\pm and Z/γ cross sections in the electron and muon decay channels in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 072004
<http://hal.in2p3.fr/in2p3-00642013>

Search for the Standard Model Higgs boson in the diphoton decay channel with 4.9 fb^{-1} of pp collisions at $\sqrt{s}=7$ TeV with ATLAS

Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 101103 <http://hal.in2p3.fr/in2p3-00668402>

Search for the Higgs boson in the $H \rightarrow WW^() \rightarrow \ell^+\nu\ell^-\nu$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*

Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 111802 <http://hal.in2p3.fr/in2p3-00651209>

Observation of a new χ_b state in radiative transitions to $\Upsilon(1S)$ and $\Upsilon(2S)$ at ATLAS

Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 152001 <http://hal.in2p3.fr/in2p3-00654499>

Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel

Aad G. et al., ATLAS Coll., Physics Letters B711 (2012) 244-263
<http://hal.in2p3.fr/in2p3-00658173>

Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 04 (2012) 069 <http://hal.in2p3.fr/in2p3-00674283>

Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-pt leptons

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 05 (2012) 059 <http://hal.in2p3.fr/in2p3-00682070>

Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 05 (2012) 128 <http://hal.in2p3.fr/in2p3-00682071>

Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC
Aad G. et al., ATLAS Coll., Journal of High Energy Physics 05 (2012) 157 <http://hal.in2p3.fr/in2p3-00681361>

Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 092002 <http://hal.in2p3.fr/in2p3-00657197>

Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 092014 <http://hal.in2p3.fr/in2p3-00679752>

Search for scalar bottom pair production with the ATLAS detector in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G.. et al., ATLAS Coll., Physical Review Letters 108 (2012) 181802 <http://hal.in2p3.fr/in2p3-00653193>

Search for production of resonant states in the photon-jet mass distribution using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ collected by the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 211802 <http://hal.in2p3.fr/in2p3-00653187>

Observation of spin correlation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 212001 <http://hal.in2p3.fr/in2p3-00681366>

Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 1909 <http://hal.in2p3.fr/in2p3-00633093>

Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 1926 <http://hal.in2p3.fr/in2p3-00660116>

Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector
Aad G.. et al., ATLAS Coll., European Physical Journal C72 (2012) 1965 <http://hal.in2p3.fr/in2p3-00663421>

Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 1993 <http://hal.in2p3.fr/in2p3-00683518>

Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B712 (2012) 22-39 <http://hal.in2p3.fr/in2p3-00659793>

Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B712 (2012) 40-58 <http://hal.in2p3.fr/in2p3-00653696>

Measurement of the WW cross section in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector and limits on anomalous gauge couplings
Aad G. et al., ATLAS Coll., Physics Letters B712 (2012) 289-308 <http://hal.in2p3.fr/in2p3-00683516>

Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions
Aad G. et al., ATLAS Coll., Physics Letters B712 (2012) 331-350 <http://hal.in2p3.fr/in2p3-00676679>

Search for FCNC single top-quark production at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B712 (2012) 351-369 <http://hal.in2p3.fr/in2p3-00676315>

Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 241802 <http://hal.in2p3.fr/in2p3-00682822>

Search for a light Higgs boson decaying to long-lived weakly-interacting particles in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 251801 <http://hal.in2p3.fr/in2p3-00677035>

Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton+jets channel with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 261802 <http://hal.in2p3.fr/in2p3-00672321>

Search for supersymmetry in events with three leptons and missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 108 (2012) 261804 <http://hal.in2p3.fr/in2p3-00691346>

Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in final states with missing transverse momentum and b-jets with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 112006 <http://hal.in2p3.fr/in2p3-00683515>

Search for resonant WZ production in the $WZ \rightarrow \ell\nu\ell'\nu'$ channel in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D85 (2012) 112012 <http://hal.in2p3.fr/in2p3-00686362>

Search for the decay $B_s^0 \rightarrow \mu\mu$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B713 (2012) 387-407 <http://hal.in2p3.fr/in2p3-00685407>

Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B714 (2012) 180-196 <http://hal.in2p3.fr/in2p3-00683870>

Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying tau lepton in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Letters B714 (2012) 197-214
<http://hal.in2p3.fr/in2p3-00688572>

Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector
Aad G. et al., ATLAS Coll., Physics Review D86 (2012) 014022
<http://hal.in2p3.fr/in2p3-00659789>

Determination of the strange quark density of the proton from ATLAS measurements of the $W \rightarrow \ell\nu$ and $Z \rightarrow \ell\ell$ cross sections
Aad G.. et al., ATLAS Coll., Physical Review Letters 109 (2012) 012001 <http://hal.in2p3.fr/in2p3-00681368>

Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 012007
<http://hal.in2p3.fr/in2p3-00672322>

Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and high transverse momentum hadronically decaying W bosons in $\sqrt{s} = 7 \text{ TeV}$ pp collisions
Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 032001 <http://hal.in2p3.fr/in2p3-00675419>

Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2001 <http://hal.in2p3.fr/in2p3-00679734>

Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2039 <http://hal.in2p3.fr/in2p3-00681364>

Search for lepton flavour violation in the $e\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2040 <http://hal.in2p3.fr/in2p3-00694311>

Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2043 <http://hal.in2p3.fr/in2p3-00682076>

Measurement of the top quark mass with the template method in the $t\bar{t} \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2046 <http://hal.in2p3.fr/in2p3-00682821>

Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2056 <http://hal.in2p3.fr/in2p3-00682820>

Measurement of τ polarization in $W \rightarrow \tau\nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2062 <http://hal.in2p3.fr/in2p3-00693205>

A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2083 <http://hal.in2p3.fr/in2p3-00701288>

Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 032003 <http://hal.in2p3.fr/in2p3-00713890>

Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ lead-lead collisions with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review C86 (2012) 014907 <http://hal.in2p3.fr/in2p3-00679743>

Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., Physics Letters B715 (2012) 44-60 <http://hal.in2p3.fr/in2p3-00693207>

Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC
Aad G. et al., ATLAS Coll., Physics Letters B716 (2012) 1-29 <http://hal.in2p3.fr/in2p3-00722246>

Search for the Standard Model Higgs boson in the $H \rightarrow WW^{()} \rightarrow \ell\nu\ell\nu$ decay mode with 4.7 fb^{-1} of ATLAS data at $\sqrt{s} = 7 \text{ TeV}$*
Aad G. et al., ATLAS Coll., Physics Letters B716 (2012) 62-81 <http://hal.in2p3.fr/in2p3-00704684>

Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., Physics Letters B716 (2012) 122-141 <http://hal.in2p3.fr/in2p3-00690290>

Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 7 \text{ TeV}$
Aad G. et al., ATLAS Coll., Physics Letters B716 (2012) 142-159 <http://hal.in2p3.fr/in2p3-00702013>

Search for pair production of a new quark that decays to a Z boson and a bottom quark with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 071801 <http://hal.in2p3.fr/in2p3-00685808>

Search for tb resonances in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 081801 <http://hal.in2p3.fr/in2p3-00694887>

Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau\nu$ in top quark pair events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector
Aad G. et al., ATLAS Coll., Journal of High Energy Physics 06 (2012) 039 <http://hal.in2p3.fr/in2p3-00687402>

Measurement of the W boson polarization in top quark decays with the ATLAS detector
Aad G. et al., ATLAS Coll., Journal of High Energy Physics 06 (2012) 088 <http://hal.in2p3.fr/in2p3-00696817>

Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 052005
<http://hal.in2p3.fr/in2p3-00676314>

Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G.. et al., ATLAS Coll., Physical Review D86 (2012) 072004
<http://hal.in2p3.fr/in2p3-00722675>

ATLAS measurements of the properties of jets for boosted particle searches

Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 072006
<http://hal.in2p3.fr/in2p3-00711896>

Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 07 (2012) 019 <http://hal.in2p3.fr/in2p3-00679748>

Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 07 (2012) 167 <http://hal.in2p3.fr/in2p3-00707168>

Measurement of the b-hadron production cross section using decays to $D^{+}\mu^-X$ final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector*

Aad G. et al., ATLAS Coll., Nuclear Physics B864 (2012) 341-381 <http://hal.in2p3.fr/in2p3-00708403>

Search for a Standard Model Higgs boson in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-\nu\bar{\nu}$ decay channel using 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ data with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B717 (2012) 29-48
<http://hal.in2p3.fr/in2p3-00702664>

Measurement of W gamma and Z gamma production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous triple gauge couplings with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B717 (2012) 49-69
<http://hal.in2p3.fr/in2p3-00696818>

Search for a Standard Model Higgs boson in the mass range 200-600 GeV in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-\ell^-\ell^+$ decay channel

Aad G. et al., ATLAS Coll., Physics Letters B717 (2012) 70-88
<http://hal.in2p3.fr/in2p3-00707586>

Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using final states with an electron or a muon and a hadronically decaying τ lepton

Aad G. et al., ATLAS Coll., Physics Letters B717 (2012) 89-108
<http://hal.in2p3.fr/in2p3-00695821>

Measurement of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B717 (2012) 330-350
<http://hal.in2p3.fr/in2p3-00697262>

Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B718 (2012) 369-390
<http://hal.in2p3.fr/in2p3-00713889>

Search for the Higgs boson in the $H \rightarrow WW \rightarrow \ell^-\ell^+\nu\bar{\nu}$ decay channel at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B718 (2012) 391-410
<http://hal.in2p3.fr/in2p3-00712411>

Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector

Aad G. et al., ATLAS Coll., Physics Letters B718 (2012) 411-430
<http://hal.in2p3.fr/in2p3-00728163>

A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 09 (2012) 041 <http://hal.in2p3.fr/in2p3-00716652>

Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+\tau^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 09 (2012) 070 <http://hal.in2p3.fr/in2p3-00712410>

A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 09 (2012) 139 <http://hal.in2p3.fr/in2p3-00703608>

Search for resonant top quark plus jet production in $t\bar{t} + \text{jets}$ events with the ATLAS detector in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 091103
<http://hal.in2p3.fr/in2p3-00736994>

Further search for supersymmetry at $\sqrt{s} = 7 \text{ TeV}$ in final states with jets, missing transverse momentum and isolated leptons with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review D86 (2012) 092002
<http://hal.in2p3.fr/in2p3-00725112>

Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 211802 <http://hal.in2p3.fr/in2p3-00723193>

Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ pp collisions using 4.7 fb^{-1} of ATLAS data

Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 211803 <http://hal.in2p3.fr/in2p3-00723783>

Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2151 <http://hal.in2p3.fr/in2p3-00679757>

Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2157 <http://hal.in2p3.fr/in2p3-00694310>

Measurement of $W^\pm Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2173 <http://hal.in2p3.fr/in2p3-00723194>

Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2174 <http://hal.in2p3.fr/in2p3-00719555>

Search for magnetic monopoles in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector

Aad G. et al., ATLAS Coll., Physical Review Letters 109 (2012) 261803 <http://hal.in2p3.fr/in2p3-00721700>

Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2211 <http://hal.in2p3.fr/in2p3-00707506>

Search for supersymmetry in events with large missing transverse momentum, jets, and at least one τ lepton in 7 tev proton-proton collision data with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2215 <http://hal.in2p3.fr/in2p3-00738725>

Search for light scalar top quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2237 <http://hal.in2p3.fr/in2p3-00724634>

ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2241 <http://hal.in2p3.fr/in2p3-00734200>

Search for doubly-charged Higgs bosons in like-sign dilepton final states at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., European Physical Journal C72 (2012) 2244 <http://hal.in2p3.fr/in2p3-00745165>

Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 11 (2012) 033 <http://hal.in2p3.fr/in2p3-00726718>

Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 11 (2012) 94 <http://hal.in2p3.fr/in2p3-00733897>

Search for high-mass resonances decaying to dilepton final states in pp collisions at a center-of-mass energy of 7 TeV with the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 11 (2012) 138 <http://hal.in2p3.fr/in2p3-00731511>

Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 12 (2012) 007 <http://hal.in2p3.fr/in2p3-00745168>

Time-dependent angular analysis of the decay $B_s^0 \rightarrow J/\psi\phi$ and extraction of $\Delta\Gamma_s$ and the CP-violating weak phase ϕ_s by ATLAS

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 12 (2012) 072 <http://hal.in2p3.fr/in2p3-00722676>

Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 12 (2012) 086 <http://hal.in2p3.fr/in2p3-00743055>

Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector

Aad G. et al., ATLAS Coll., Journal of High Energy Physics 12 (2012) 124 <http://hal.in2p3.fr/in2p3-00742709>

Prototype ATLAS IBL modules using the FE-I4A front-end readout chip

Albert J. et al., ATLAS IBL Coll., Journal of Instrumentation 7 (2012) P11010 <http://hal.in2p3.fr/in2p3-00730896>

BABAR

Articles dans des revues à comité de lecture

A measurement of the semileptonic branching fraction of the B_s meson

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 011101 <http://hal.in2p3.fr/in2p3-00636322>

Search for $\bar{B} \rightarrow \Lambda_c^+ X \ell^- \bar{\nu}_\ell$ decays in events with a fully reconstructed B meson

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 011102 <http://hal.in2p3.fr/in2p3-00672860>

Search for CP violation in the decay $\tau^- \rightarrow \pi^- K_s^0 (\geq 0 \pi^0)$

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 031102 <http://hal.in2p3.fr/in2p3-00620674>

Amplitude analysis and measurement of the time-dependent CP asymmetry of $B^0 \rightarrow K_s^0 K_s^0 K_s^0$ decays

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 054023 <http://hal.in2p3.fr/in2p3-00642644>

Search for the $Z_1(4050)^+$ and $Z_2(4250)^+$ states in $\bar{B}^0 \rightarrow \chi_{c1} K^- \pi^+$ and $B^+ \rightarrow \chi_{c1} K_s^0 \pi^+$

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 052003 <http://hal.in2p3.fr/in2p3-00645517>

Search for lepton-number violating processes in $B^+ \rightarrow h^- \ell^+ \ell^+$ decays

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 071103 <http://hal.in2p3.fr/in2p3-00679867>

*B^0 meson decays to $\rho^0 K^{*0}$, $f_0 K^{*0}$, and $\rho^- K^{*+}$, including higher K^* resonances*

Del Amo Sanchez P. et al., BABAR Coll., Physical Review D85 (2012) 072005 <http://hal.in2p3.fr/in2p3-00653585>

Search for the decay $D^0 \rightarrow \gamma\gamma$ and measurement of the branching fraction for $D^0 \rightarrow \pi^0 \pi^0$

Lees J.P. et al., BABAR Coll., Physical Review D85 (2012) 091107 <http://hal.in2p3.fr/in2p3-00709864>

Observation and study of the baryonic B-meson decays $B \rightarrow D^{(*)} p \bar{p} (\pi)(\pi)$
Del Amo Sanchez P. et al, BABAR Coll., Physical Review D85 (2012) 092017 <http://hal.in2p3.fr/in2p3-00643202>

Search for low-mass dark-sector higgs bosons
Lees J.P. et al, BABAR Coll., Physical Review Letters 108 (2012) 211801 <http://hal.in2p3.fr/in2p3-00668398>

Initial-state radiation measurement of the $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$ cross section
Lees J.P., et al, BABAR Coll., Physical Review D85 (2012) 112009 <http://hal.in2p3.fr/in2p3-00668342>

Study of CP violation in Dalitz-plot analyses of $B^0 \rightarrow K^+ K K_s^0$, $B^+ \rightarrow K^+ K^- K^+$, and $B^+ \rightarrow K_s^0 K_s^0 K^+$
Lees J.P. et al, BABAR Coll., Physical Review D85 (2012) 112010 <http://hal.in2p3.fr/in2p3-00668348>

A search for the decay modes $B^\pm \rightarrow h^\pm \tau \ell$
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 012004 <http://hal.in2p3.fr/in2p3-00687971>

Cross sections for the reactions $e^+e^- \rightarrow K^+ K \pi^+\pi^-$, $K^+ K \pi^0\pi^0$, and $K^+ K^- K$ measured using initial-state radiation
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 012008 <http://hal.in2p3.fr/in2p3-00580608>

Search for the decay modes $D^0 \rightarrow e^+e^-$, $D^0 \rightarrow \mu^+\mu^-$, and $D^0 \rightarrow e\mu$
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 032001 <http://hal.in2p3.fr/in2p3-00712154>

Measurement of branching fractions and rate asymmetries in the rare decays $B \rightarrow K^{(*)}\ell^+\ell^+$
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 032012 <http://hal.in2p3.fr/in2p3-00689369>

Study of $\bar{B} \rightarrow X_\nu \ell \bar{\nu}$ decays in $B\bar{B}$ events tagged by a fully reconstructed B-meson decay and determination of $|V_{ub}|$
Del Amo Sanchez P. et al, BABAR Coll., Physical Review D86 (2012) 032004 <http://hal.in2p3.fr/in2p3-00648919>

Precise measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ cross section with the initial-state radiation method at BABAR
Lees J.P., et al, BABAR Coll., Physical Review D86 (2012) 032013 <http://hal.in2p3.fr/in2p3-00697175>

Evidence for an excess of $B \rightarrow D^{(*)} \tau\nu$ decays
Lees J.P. et al, BABAR Coll., Physical Review Letters 109 (2012) 101802 <http://hal.in2p3.fr/in2p3-00701319>

Improved limits on B^0 decays to invisible ($+\gamma$) final states
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 051105 <http://hal.in2p3.fr/in2p3-00743558>

Study of the reaction $e^+e^- \rightarrow J/\psi \pi^+\pi^-$ via initial-state radiation at BaBar
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 051102 <http://hal.in2p3.fr/in2p3-00694482>

Exclusive measurements of $b \rightarrow s\gamma$ transition rate and photon energy spectrum
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 052012 <http://hal.in2p3.fr/in2p3-00717267>

Study of $X(3915) \rightarrow J/\psi \omega$ in two-photon collisions
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 072002 <http://hal.in2p3.fr/in2p3-00717273>

Study of the baryonic B decay $B^- \rightarrow \Sigma_c^{++} \bar{p} \pi^- \pi^- \pi^-$
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 091102 <http://hal.in2p3.fr/in2p3-00725324>

Branching fraction and form-factor shape measurements of exclusive charmless semileptonic B decays, and determination of $|V_{ub}|$
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 092004 <http://hal.in2p3.fr/in2p3-00725314>

Search for resonances decaying to $\varepsilon_c \pi^+\pi^-$ in two-photon interactions
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 092005 <http://hal.in2p3.fr/in2p3-00707501>

Precision measurement of the $B \rightarrow X_s \gamma$ photon energy spectrum, branching fraction and direct CP asymmetry $A_{CP}(B \rightarrow X_{s+d} \gamma)$
Lees J.P. et al, BABAR Coll., Physical Review Letters 109 (2012) 191801 <http://hal.in2p3.fr/in2p3-00717277>

Observation of time reversal violation in the B^0 Meson System
Lees J.P. et al, BABAR Coll., Physical Review Letters 109 (2012) 211801 <http://hal.in2p3.fr/in2p3-00720925>

Study of high-multiplicity three-prong and five-prong τ decays at BABAR
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 092010 <http://hal.in2p3.fr/in2p3-00732411>

Branching fraction of $\tau \rightarrow \pi^- K_s^0 K_s^0 (\pi^0) \nu_\tau$ decays
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 092013 <http://hal.in2p3.fr/in2p3-00722724>

Measurement of the time-dependent CP asymmetry of partially reconstructed $B^0 \rightarrow D^{*+} D^{*-}$ decays
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 112006 <http://hal.in2p3.fr/in2p3-00725319>

Measurement of $B(B \rightarrow X_s \gamma)$, the $B \rightarrow X_s \gamma$ photon energy spectrum, and the direct CP asymmetry in $B \rightarrow X_{s+d} \gamma$ decays
Lees J.P. et al, BABAR Coll., Physical Review D86 (2012) 112008 <http://hal.in2p3.fr/in2p3-00720748>

Autres productions

Study of the reaction $e^+e^- \rightarrow \psi(2S) \pi^+\pi^-$ via initial state radiation at BaBar
Lees J.P. et al, BABAR Coll., arXiv:1211.6271, à paraître dans Phys. Review D <http://hal.in2p3.fr/in2p3-00758154>

CKMfitter

Articles dans des revues à comité de lecture

Constraints on new physics in $B\bar{B}$ mixing in the light of recent LHCb data
Lentz A., T'Jampens S. et al., CKMfitter, Physical Review D86 (2012) 033008 <http://hal.in2p3.fr/in2p3-00675991>

Articles dans des revues à comité de lecture

Performance of tau-lepton reconstruction and identification in CMS

Chatrchyan S. et al., CMS Coll., Journal of Instrumentation 7 (2012) P01001 <http://hal.in2p3.fr/in2p3-00627554>

Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physical Review D85 (2012) 012004 <http://hal.in2p3.fr/in2p3-00607171>

Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physical Review D85 (2012) 032002 <http://hal.in2p3.fr/in2p3-00635304>

Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B709 (2012) 28-49 <http://hal.in2p3.fr/in2p3-00654503>

Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at 7 TeV

Chatrchyan S. et al., CMS Coll., European Physical Journal C72 (2012) 1839 <http://hal.in2p3.fr/in2p3-00628687>

Study of high-pT charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., European Physical Journal C72 (2012) 1945 <http://hal.in2p3.fr/in2p3-00669821>

Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 01 (2012) 010 <http://hal.in2p3.fr/in2p3-00632889>

Exclusive $\gamma\gamma \rightarrow \mu^+\mu^-$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 01 (2012) 052 <http://hal.in2p3.fr/in2p3-00644285>

J/ ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 02 (2012) 011 <http://hal.in2p3.fr/in2p3-00639029>

Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow \ell\ell\nu\nu$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 03 (2012) 040 <http://hal.in2p3.fr/in2p3-00672495>

Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 03 (2012) 081 <http://hal.in2p3.fr/in2p3-00672498>

Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider

Chatrchyan S. et al., CMS Coll., Physical Review Letters 108 (2012) 111801 <http://hal.in2p3.fr/in2p3-00648540>

Search for the standard model Higgs boson in the decay channel $H \rightarrow ZZ$ to 4 leptons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physical Review Letters 108 (2012) 111804 <http://hal.in2p3.fr/in2p3-00668585>

Search for a Higgs boson in the decay channel $H \rightarrow ZZ^{()} \rightarrow q\bar{q}\ell^+\ell^-$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$*

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 04 (2012) 036 <http://hal.in2p3.fr/in2p3-00667604>

Search for microscopic black holes in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 04 (2012) 061 <http://hal.in2p3.fr/in2p3-00675416>

Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 05 (2012) 055 <http://hal.in2p3.fr/in2p3-00674270>

Inclusive b-jet production in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 04 (2012) 084 <http://hal.in2p3.fr/in2p3-00672794>

Suppression of non-prompt J/ ψ , prompt J/ ψ , and Y(1S) in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 05 (2012) 063 <http://hal.in2p3.fr/in2p3-00662872>

Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B710 (2012) 256-277 <http://hal.in2p3.fr/in2p3-00660551>

Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B710 (2012) 284-306 <http://hal.in2p3.fr/in2p3-00672303>

Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B710 (2012) 403-425 <http://hal.in2p3.fr/in2p3-00667603>

Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B711 (2012) 15-34 <http://hal.in2p3.fr/in2p3-00671940>

Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B710 (2012) 26-48 <http://hal.in2p3.fr/in2p3-00667602>

Search for the standard model Higgs boson decaying to a W pair in the fully leptonic final state in pp collisions at $\sqrt{s}=7 \text{ TeV}$

Chatrchyan S. et al., CMS Coll., Physics Letters B710 (2012) 91-113 <http://hal.in2p3.fr/in2p3-00667601>

Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV
Chatrchyan S. et al., CMS Coll., European Physical Journal C72 (2012) 2012 <http://hal.in2p3.fr/in2p3-00660549>

Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., European Physical Journal C72 (2012) 2080 <http://hal.in2p3.fr/in2p3-00736378>

Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 06 (2012) 036 <http://hal.in2p3.fr/in2p3-00666754>

Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s}=7$ TeV
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 06 (2012) 110 <http://hal.in2p3.fr/in2p3-00679608>

Measurement of the $Z/\gamma+b$ -jet cross section in pp collisions at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 06 (2012) 126 <http://hal.in2p3.fr/in2p3-00686352>

Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at 7 TeV
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 06 (2012) 160 <http://hal.in2p3.fr/in2p3-00688192>

Search for neutral Higgs bosons decaying to τ pairs in pp collisions at $\sqrt{s}=7$ TeV
Chatrchyan S. et al., CMS Coll., Physics Letters B712 (2012) 68-90 <http://hal.in2p3.fr/in2p3-00672302>

Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV
Chatrchyan S. et al., CMS Coll., Physics Letters B712 (2012) 176-197 <http://hal.in2p3.fr/in2p3-00673208>

Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states containing a τ
Chatrchyan S. et al., CMS Coll., Physical Review D85 (2012) 112007 <http://hal.in2p3.fr/in2p3-00684399>

Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., Physics Letters B716 (2012) 260-284 <http://hal.in2p3.fr/in2p3-00688564>

Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., European Physical Journal C72 (2012) 2216 <http://hal.in2p3.fr/in2p3-00685081>

Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 08 (2012) 130 <http://hal.in2p3.fr/in2p3-00716646>

Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state
Chatrchyan S. et al., CMS Coll., Journal of High Energy Physics 09 (2012) 29 <http://hal.in2p3.fr/in2p3-00687026>

Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7$ TeV
Chatrchyan S. et al., CMS Coll., Journal of Instrumentation 07 (2012) P10002 <http://hal.in2p3.fr/in2p3-00710068>

CTA

Contributions écrites à des conférences avec comité de lecture

Towards an optimized design for the Cherenkov Telescope Array
Stamatescu V., Komin N., Lamanna G., et al, CTA Coll., Contributed paper to 5th International Symposium on High-Energy Gamma-Ray, Heidelberg 2012, AIP Conf. Proc. 1505 pp 758-761 <http://hal.in2p3.fr/in2p3-00758958>

Towards a flexible array control and operation framework for CTA
Birsin E., Lamanna G., Le Flour T., Panazol J.L. et al, CTA Coll., Contributed paper to 5th International Symposium on High-Energy Gamma-Ray, Heidelberg 2012, AIP Conf. Proc. 1505 pp 762-764 <http://hal.in2p3.fr/in2p3-00757447>

HESS

Articles dans des revues à comité de lecture

The 2010 very high energy gamma-ray flare and 10 years of multi-wavelength observations of M 87
Abramowski A. et al., HESS Coll., Astrophysical Journal 746 (2012) 151 <http://hal.in2p3.fr/in2p3-00652853>

Discovery of extended VHE γ -ray emission from the vicinity of the young massive stellar cluster Westerlund 1
Abramowski A. et al., HESS Coll., Astronomy and Astrophysics 537 (2012) A114 <http://hal.in2p3.fr/in2p3-00640986>

Discovery of hard-spectrum γ -ray emission from the BL Lacertae object 1ES 0414+009
Abramowski A. et al., HESS Coll., Astronomy and Astrophysics 538 (2012) A103 <http://hal.in2p3.fr/in2p3-00660462>

A multiwavelength view of the flaring state of PKS 2155-304 in 2006
Abramowski A. et al., HESS Coll., Astronomy and Astrophysics 539 (2012) A149 <http://hal.in2p3.fr/in2p3-00679463>

Discovery of VHE emission towards the Carina arm region with the H.E.S.S. telescope array: HESS J1018-589
Abramowski A. et al., HESS Coll., Astronomy and Astrophysics 541 (2012) A5 <http://hal.in2p3.fr/in2p3-00684777>

Search for dark matter annihilation signals from the Fornax galaxy cluster with H.E.S.S.,
 Abramowski A. et al., *Astrophysical Journal* 750 (2012) 123 <http://hal.in2p3.fr/in2p3-00679476>

Discovery of VHE γ -ray emission and multi-wavelength observations of the BL Lac object 1RXS J101015.9-311909
 Abramowski A. et al., *Astronomy and Astrophysics* 542 (2012) A94 <http://hal.in2p3.fr/in2p3-00690898>

H.E.S.S. observations of the Carina nebula and its enigmatic colliding wind binary Eta Carinae
 Abramowski A. et al., *Monthly Notices of the Royal Astronomical Society* 424 (2012) 128-135
<http://hal.in2p3.fr/in2p3-00697570>

Spectral analysis and interpretation of the γ -ray emission from the Starburst galaxy NGC 253
 Abramowski A. et al., *Astrophysical Journal* 757 (2012) 158 <http://hal.in2p3.fr/in2p3-00713837>

Suzaku Observations of the Non-thermal Supernova Remnant HESS J1731-347
 Bamba A. et al., *Astrophysical Journal* 756 (2012) 149, erratum *Astrophysical Journal* 761 (2012) 80
<http://hal.in2p3.fr/in2p3-00749114>

Discovery of γ -ray emission from the extragalactic pulsar wind nebula N157B with the High Energy Stereoscopic System
 Abramowski A. et al., *Astronomy and Astrophysics* 545 (2012) L2 <http://hal.in2p3.fr/in2p3-00725528>

Constraints on the γ -ray emission from the cluster-scale AGN outburst in the Hydra A galaxy cluster
 Abramowski A. et al., *Astronomy and Astrophysics* 545 (2012) A103 <http://hal.in2p3.fr/in2p3-00725521>

Probing the extent of the non-thermal emission from the Vela X region at TeV energies with H.E.S.S.
 Abramowski A. et al., *Astronomy and Astrophysics* 548 (2012) A38 <http://hal.in2p3.fr/in2p3-00748534>

Identification of HESS J1303-631 as a pulsar wind nebula through gamma-ray, X-ray and radio observations
 Abramowski A. et al., *Astronomy and Astrophysics* 548 (2012) A46 <http://hal.in2p3.fr/in2p3-00748538>

Measurement of the CP violating phase ϕ_s in $B_s^0 \rightarrow J/\psi f_0(980)$
 Aaij R. et al., *Physics Letters B* 707 (2012) 497-505
<http://hal.in2p3.fr/in2p3-00653539>

Absolute luminosity measurements with the LHCb detector at the LHC
 Aaij R. et al., *Journal of Instrumentation* 7 (2012) P01010 <http://hal.in2p3.fr/in2p3-00638977>

Search for the rare decays $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$
 Aaij R. et al., *Physics Letters B* 708 (2012) 55-67
<http://hal.in2p3.fr/in2p3-00653530>

Measurement of b-hadron masses
 Aaij R. et al., *Physics Letters B* 708 (2012) 241-248
<http://hal.in2p3.fr/in2p3-00663247>

Measurement of the CP-violating phase ϕ_s in the decay $B_s^0 \rightarrow J/\psi \phi$
 Aaij R. et al., *Physical Review Letters* 108 (2012) 101803 <http://hal.in2p3.fr/in2p3-00653545>

Measurement of b hadron production fractions in 7 TeV pp collisions
 Aaij R. et al., *Physical Review D* 85 (2012) 032008
<http://hal.in2p3.fr/in2p3-00641064>

*First observation of the decay $B_s^0 \rightarrow K^{*0} \bar{K}^{*0}$*
 Aaij R. et al., *Physics Letters B* 709 (2012) 50-58
<http://hal.in2p3.fr/in2p3-00642652>

Measurement of the $B_s^0 - \bar{B}_s^0$ oscillation frequency Δm_s in $B_s^0 \rightarrow D_s^-(3) \pi$ decays
 Aaij R. et al., *Physics Letters B* 709 (2012) 177-184
<http://hal.in2p3.fr/in2p3-00671043>

Search for the lepton number violating decays $B^+ \rightarrow \pi^- \mu^+ \mu^-$ and $B^+ \rightarrow K^- \mu^+ \mu^+$
 Aaij R. et al., *Physical Review Letters* 108 (2012) 101601 <http://hal.in2p3.fr/in2p3-00630210>

Evidence for CP violation in time-integrated $D^0 \rightarrow h^- h^+$ decay rates
 Aaij R. et al., *Physical Review Letters* 108 (2012) 111602 <http://hal.in2p3.fr/in2p3-00653527>

Observation of $B_s^0 \rightarrow J/\psi f_2(1525)$ in $J/\psi K^+ K^-$ final states
 Aaij R. et al., *Physical Review Letters* 108 (2012) 151801 <http://hal.in2p3.fr/in2p3-00687939>

First observation of the decays $B^0 \rightarrow D^+ K^- \pi^+ \pi^-$ and $B^- \rightarrow D^0 K^- \pi^+ \pi^-$
 Aaij R. et al., *Physical Review Letters* 108 (2012) 161801 <http://hal.in2p3.fr/in2p3-00668334>

Measurement of the B^\pm production cross-section in pp collisions at $\sqrt{s} = 7$ TeV
 Aaij R. et al., *Journal of High Energy Physics* 04 (2012) 093 <http://hal.in2p3.fr/in2p3-00680507>

Measurement of mixing and CP violation parameters in two-body charm decays
 Aaij R. et al., *Journal of High Energy Physics* 04 (2012) 129 <http://hal.in2p3.fr/in2p3-00697082>

LHCb

Articles dans des revues à comité de lecture

Observation of J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV
 Aaij R. et al., *Physics Letters B* 707 (2012) 52-59
<http://hal.in2p3.fr/in2p3-00626622>

Measurement of the effective $B_s^0 \rightarrow K^+ K^-$ lifetime
 Aaij R. et al., *Physics Letters B* 707 (2012) 349-356
<http://hal.in2p3.fr/in2p3-00641056>

Search for the $X(4140)$ state in $B^+ \rightarrow J/\psi \phi K^+$ decays
Aaij R. et al., LHCb Coll., Physical Review D85 (2012) 091103
<http://hal.in2p3.fr/in2p3-00680499>

Measurements of the branching fractions and CP asymmetries of $B^\pm \rightarrow J/\psi \pi^\pm$ and $B^\pm \rightarrow \psi(2S) \pi^\pm$ decays
Aaij R. et al., LHCb Coll., Physical Review D85 (2012) 091105
<http://hal.in2p3.fr/in2p3-00680445>

*Differential branching fraction and angular analysis of the decay $B^0 \rightarrow K^{*0} \mu^+ \mu^-$*
Aaij R. et al., LHCb Coll., Physical Review Letters 108 (2012) 181806 <http://hal.in2p3.fr/in2p3-00653549>

First evidence of direct CP violation in charmless two-body decays of B_s mesons
Aaij R. et al., LHCb Coll., Physical Review Letters 108 (2012) 201601 <http://hal.in2p3.fr/in2p3-00680493>

Strong constraints on the rare decays $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$
Aaij R. et al., LHCb Coll., Physical Review Letters 108 (2012) 231801 <http://hal.in2p3.fr/in2p3-00684588>

Determination of the sign of the decay width difference in the B_s system
Aaij R. et al., LHCb Coll., Physical Review Letters 108 (2012) 241801 <http://hal.in2p3.fr/in2p3-00680512>

First observation of the decay $B_c^+ \rightarrow J/\psi \pi^+ \pi^- \pi^+$
Aaij R. et al., LHCb Coll., Physical Review Letters 108 (2012) 251802 <http://hal.in2p3.fr/in2p3-00687961>

Measurement of charged particle multiplicities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 1947 <http://hal.in2p3.fr/in2p3-00705907>

Observation of $X(3872)$ production in pp collisions at $\sqrt{s} = 7$ TeV
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 1972 <http://hal.in2p3.fr/in2p3-00654816>

Opposite-side flavour tagging of B mesons at the LHCb experiment
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 2022 <http://hal.in2p3.fr/in2p3-00680502>

Measurement of Υ production in pp collisions at $\sqrt{s} = 7$ TeV
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 2025 <http://hal.in2p3.fr/in2p3-00680478>

Measurement of $\psi(2S)$ meson production in pp collisions at $\sqrt{s} = 7$ TeV
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 2100 <http://hal.in2p3.fr/in2p3-00737843>

Measurement of relative branching fractions of B decays to $\psi(2S)$ and J/ψ mesons
Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 2118 <http://hal.in2p3.fr/in2p3-00697161>

Searches for Majorana neutrinos in B -decays
Aaij R. et al., LHCb Coll., Physical Review D85 (2012) 112004
<http://hal.in2p3.fr/in2p3-00664426>

*Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \rightarrow K^{*0} \gamma) / \mathcal{B}(B_s^0 \rightarrow \phi \gamma)$*
Aaij R. et al., LHCb Coll., Physical Review D85 (2012) 112013
<http://hal.in2p3.fr/in2p3-00680483>

Observation of CP violation in $B^+ \rightarrow DK^+$ decays
Aaij R. et al., LHCb Coll., Physics Letters B712 (2012) 203-212
<http://hal.in2p3.fr/in2p3-00684586>

Measurement of the $B_s^0 \rightarrow J/\psi K_s^0$ branching fraction
Aaij R. et al., LHCb Coll., Physics Letters B713 (2012) 172-179
<http://hal.in2p3.fr/in2p3-00697164>

Measurement of the $D_s^+ - D_s^-$ production asymmetry in 7 TeV pp collisions
Aaij R. et al., LHCb Coll., Physics Letters B173 (2012) 186-195
<http://hal.in2p3.fr/in2p3-00697158>

Measurement of the CP-violating phase ϕ_s in $B_s^0 \rightarrow J/\psi \pi^+ \pi^-$ decays
Aaij R. et al., LHCb Coll., Physics Letters B713 (2012) 378-386
<http://hal.in2p3.fr/in2p3-00693952>

Measurement of the polarization amplitudes and triple product asymmetries in the $B_s^0 \rightarrow \phi \phi$ decay
Aaij R. et al., LHCb Coll., Physics Letters B713 (2012) 369-377
<http://hal.in2p3.fr/in2p3-00687423>

Time alignment of the front end electronics of the LHCb calorimeters
Abellan Beteta C. et al., LHCb Coll., Journal of Instrumentation 7 (2012) P08020 <http://hal.in2p3.fr/in2p3-00746820>

Inclusive W and Z production in the forward region at $\sqrt{s} = 7$ TeV
Aaij R. et al., LHCb Coll., Journal of High Energy Physics 06 (2012) 058 <http://hal.in2p3.fr/in2p3-00686501>

Measurements of the branching fractions of the decays $B_s^0 \rightarrow D_s^\mp K^\pm$ and $B_s^0 \rightarrow D_s^- \pi^+$
Aaij R. et al., LHCb Coll., Journal of High Energy Physics 06 (2012) 115 <http://hal.in2p3.fr/in2p3-00694487>

Observation of double charm production involving open charm in pp collisions at $\sqrt{s} = 7$ TeV
Aaij R. et al., LHCb Coll., Journal of High Energy Physics 06 (2012) 141 <http://hal.in2p3.fr/in2p3-00697167>

Measurement of the isospin asymmetry in $B \rightarrow K^{()} \mu^+ \mu^-$ decays*
Aaij R. et al., LHCb Coll., Journal of High Energy Physics 07 (2012) 133 <http://hal.in2p3.fr/in2p3-00698159>

Analysis of the resonant components in $B_s^0 \rightarrow J/\psi \pi^+ \pi^-$
Aaij R. et al., LHCb Coll., Physical Review D86 (2012) 052006
<http://hal.in2p3.fr/in2p3-00693954>

*Measurement of the $B_s^0 \rightarrow J/\psi \bar{K}^{*0}$ branching fraction and angular amplitudes*
Aaij R. et al., LHCb Coll., Physical Review D86 (2012) 071102
<http://hal.in2p3.fr/in2p3-00725309>

Observation of $B^0 \rightarrow \bar{D}^0 K^+$ and evidence for $B_s^0 \rightarrow \bar{D}^0 K^+$
Aaij R. et al., LHCb Coll., Physical Review Letters 109 (2012) 131801 <http://hal.in2p3.fr/in2p3-00720938>

Measurement of the B^0 effective lifetime in the $J/\psi f_0(980)$ final state

Aaij R. et al., LHCb Coll., Physical Review Letters 109 (2012) 152002 <http://hal.in2p3.fr/in2p3-00714752>

Measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s} = 7 \text{ TeV}$

Aaij R. et al., LHCb Coll., Physics Letters B174 (2012) 215-223 <http://hal.in2p3.fr/in2p3-00668373>

Observation of excited Λ_b^0 baryons

Aaij R. et al., LHCb Coll., Physical Review Letters 109 (2012) 172003 <http://hal.in2p3.fr/in2p3-00698050>

Measurement of the effective $B_s^0 \rightarrow K^+ K^-$ lifetime

Aaij R. et al., LHCb Coll., Physics Letters B716 (2012) 393-400 <http://hal.in2p3.fr/in2p3-00720941>

A model-independent Dalitz plot analysis of $B^\pm \rightarrow DK^\pm$ with $D \rightarrow K_s^0 h^+ h^-$ ($h=\pi, K$) decays and constraints on the CKM angle γ

Aaij R. et al., LHCb Coll., Physics Letters B718 (2012) 43-55 <http://hal.in2p3.fr/in2p3-00740877>

Measurement of the ratio of prompt $\chi_c \rightarrow J/\psi$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Aaij R. et al., LHCb Coll., Physics Letters B718 (2012) 431-440 <http://hal.in2p3.fr/in2p3-00687955>

Measurement of prompt hadron production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV

Aaij R. et al., LHCb Coll., European Physical Journal C72 (2012) 2168 <http://hal.in2p3.fr/in2p3-00711512>

Study of D_s decays to $D^+ K_s^0$ and $D^0 K^+$ final states in pp collisions

Aaij R. et al., LHCb Coll., Journal of High Energy Physics 10 (2012) 151 <http://hal.in2p3.fr/in2p3-00720947>

Measurements of B_c^+ production and mass with the $B_c^+ \rightarrow J/\psi \pi^+$ decay

Aaij R. et al., LHCb Coll., Physical Review Letters 109 (2012) 232001 <http://hal.in2p3.fr/in2p3-00735611>

Measurement of b -hadron branching fractions for two-body decays into charmless charged hadrons

Aaij R. et al., LHCb Coll., Journal of High Energy Physics 10 (2012) 037 <http://hal.in2p3.fr/in2p3-00718261>

Measurement of the fraction of $\Upsilon(1S)$ originating from $\chi_b(1P)$ decays in pp collisions at $\sqrt{s} = 7 \text{ TeV}$

Aaij R. et al., LHCb Coll., Journal of High Energy Physics 11 (2012) 031 <http://hal.in2p3.fr/in2p3-00727742>

First observation of the decay $B^+ \rightarrow \pi^+ \mu^+ \mu^-$

Aaij R. et al., LHCb Coll., Journal of High Energy Physics 12 (2012) 125 <http://hal.in2p3.fr/in2p3-00741291>

First observation of the decays $\bar{B}_{(s)}^0 \rightarrow D_s^+ K^- \pi^+ \pi^-$ and $\bar{B}_s^0 \rightarrow D_{s1}(2536)^+ \pi^-$

Aaij R. et al., LHCb Coll., Physical Review D86 (2012) 112005 <http://hal.in2p3.fr/in2p3-00749731>

Autres Productions

Contribution française à l'upgrade de LHCb

De Bonis I. et al., LHCb coll. <http://hal.in2p3.fr/in2p3-00925089>

NOMAD

Articles dans des revues à comité de lecture

A search for single photon events in neutrino interactions

Kullenberg C.T. et al., Nomad Coll., Physics Letters B706 (2012) 268-275 <http://hal.in2p3.fr/in2p3-00676950>

OPERA

Articles dans des revues à comité de lecture

Momentum measurement by the multiple Coulomb scattering method in the OPERA lead emulsion target

Agafonova N. et al. OPERA Coll., New Journal of Physics 14 (2012) 013026 <http://hal.in2p3.fr/in2p3-00605271>

Search for $\nu\mu \rightarrow \nu\tau$ oscillation with the OPERA experiment in the CNGS beam

Agafonova N. et al. OPERA Coll., New Journal of Physics 14 (2012) 033017 <http://hal.in2p3.fr/in2p3-00610375>

Measurement of the neutrino velocity with the OPERA detector in the CNGS beam

Adam T. et al. OPERA Coll., Journal of High Energy Physics 10 (2012) 093 <http://hal.in2p3.fr/in2p3-00625946>

Virgo/LIGO

Articles dans des revues à comité de lecture

Characterization of the Virgo seismic environment

Accadia T. et al., Virgo Coll., Classical and Quantum Gravity 29 (2012) 025005 <http://hal.in2p3.fr/in2p3-00641035>

All-sky search for periodic gravitational waves in the full S5 LIGO data

Abadie J. et al., Virgo LIGO Coll., Physical Review D85 (2012) 022001 <http://hal.in2p3.fr/in2p3-00640993>

Implementation and testing of the first prompt search for electromagnetic counterparts to gravitational wave transients

Abadie J. et al., Virgo LIGO Coll., Astronomy and Astrophysics 539 (2012) A124 <http://hal.in2p3.fr/in2p3-00641028>

Search for gravitational waves from low mass compact binary coalescence in LIGO's sixth science run and Virgo's science runs 2 and 3

Abadie J. et al., Virgo LIGO Coll., Physical Review D85 (2012) 082002 <http://hal.in2p3.fr/in2p3-00689778>

Virgo: a laser interferometer to detect gravitational waves

Abadie J. et al., Virgo LIGO Coll., Journal of Instrumentation 07 (2012) P03012 <http://hal.in2p3.fr/in2p3-00689749>

First low-latency LIGO+Virgo search for binary inspirals and their electromagnetic counterparts

Abadie J. et al., Virgo LIGO Coll., *Astronomy and Astrophysics* 541 (2012) A155 <http://hal.in2p3.fr/in2p3-00702094>

Search for gravitational waves from intermediate mass binary black holes

Abadie J. et al., Virgo LIGO Coll., *Physical Review D* 85 (2012) 102004 <http://hal.in2p3.fr/in2p3-00679937>

Upper limits on a stochastic gravitational-wave background using LIGO and Virgo interferometers at 600-1000 Hz

Abadie J. et al., Virgo LIGO Coll., *Physical Review D* 85 (2012) 122001 <http://hal.in2p3.fr/in2p3-00708743>

All-sky search for gravitational-wave bursts in the second joint LIGO-Virgo run

Abadie J. et al., Virgo LIGO Coll., *Physical Review D* 85 (2012) 122007 <http://hal.in2p3.fr/in2p3-00679939>

Implications for the origin Of GRB 051103 from LIGO observations

Abadie J., Dietz A., et al., *LIGO Coll., Astrophysical Journal* 755 (2012) 2 <http://hal.in2p3.fr/in2p3-00721856>

Search for gravitational waves associated with gamma-ray bursts during LIGO science run 6 and Virgo science runs 2 and 3

Abadie J. et al., Virgo LIGO Coll., *Astrophysical Journal* 760 (2012) 12 <http://hal.in2p3.fr/in2p3-00706656>

Swift follow-up observations of candidate gravitational-wave transient events

Abadie J. et al., Virgo LIGO Antares Coll., *Astrophys. Journal Suppl. Series* 203 (2012) 28 <http://hal.in2p3.fr/in2p3-00718573>

The characterization of Virgo data and its impact on gravitational-wave searches

Aasi J. et al., Virgo LIGO Coll., *Classical and Quantum Gravity* 29 (2012) 155002 <http://hal.in2p3.fr/in2p3-00683730>

Contributions écrites à des conférences avec comité de lecture

The NoEMi (Noise Frequency Event Miner) framework

Accadia T. et al., *Virgo Coll., Journal of Physics Conference Series* 363 (2012) 0120374, Contributed paper to 9th Edoardo Amaldi Conference on Gravitational Waves, Cardiff 2011 <http://hal.archives-ouvertes.fr/hal-00846235>

Noise monitor tools and their application to Virgo data

Abadie J. et al., *Virgo Coll., Journal of Physics: Conference Series* 363 (2012) 122024, Contributed paper to 9th Edoardo Amaldi Conference on Gravitational Waves, Cardiff 2011 <http://hal.in2p3.fr/in2p3-00741119>

Advanced Virgo Status

Degallaix J. et al., *Virgo Coll., ASP Conference Series* 467 (2012) 151, Contributed paper to 9th Lisa Symposium, Paris 2012 <http://hal.in2p3.fr/in2p3-00776460>

Autres productions

Sensitivity achieved by the LIGO and Virgo gravitational wave detectors during LIGO's sixth and Virgo's second and third science runs

Abadie J. et al., Virgo LIGO Coll., arXiv :1203.2674 <http://hal.in2p3.fr/in2p3-00679943>

Mirror surface studies for Advanced Virgo OMC

Di Gallo L., Virgo Coll., Internal Scientific and Technical note <http://hal.archives-ouvertes.fr/hal-00720646>

Maximum allowed angular errors for positioning mirrors in Advanced Virgo OMC

Di Gallo L., Virgo Coll., Internal Scientific and Technical note <http://hal.archives-ouvertes.fr/hal-00720637>

R&D Futurs Collisionneurs Linéaires

Articles dans des revues à comité de lecture

Vibration control of the beam of the future linear collider

Caron B., Balik G., Brunetti L., Jérémie A., CLIC Coll., *Control Engineering Practice* 20 (2012) 236-247 <http://hal.in2p3.fr/in2p3-00638748>

Construction and performance of a silicon photomultiplier/extruded scintillator tail-catcher and muon-tracker

Adloff C. et al., CALICE Coll., *Journal of Instrumentation* 7 (2012) P04015 <http://hal.in2p3.fr/in2p3-00658175>

Hadronic energy resolution of a highly granular scintillator-steel hadron calorimeter using software compensation techniques

Adloff C. et al., CALICE Coll., *Journal of Instrumentation* 7 (2012) P09017 <http://hal.in2p3.fr/in2p3-00719085>

Contributions écrites à des conférences avec comité de lecture

MICROROC: MICROMEsh GAseous Structure Read-Out Chip

Adloff C. et al., *Journal of Instrumentation* 7 (2012) C01029, Contributed paper to TWEPP-11, Vienna 2011 <http://hal.in2p3.fr/in2p3-00653776>

Application of micro-pattern gas detectors to imaging calorimetry

White A.P. et al., Contributed paper to 2012 IEEE NSS/MIC/RTSD Conference, Anaheim <http://hal.in2p3.fr/in2p3-00759389>

Autres Productions

Calorimetry for lepton collider experiments - CALICE results and activities

Adloff C. et al., CALICE Coll., <http://hal.in2p3.fr/in2p3-00768196>

Hors Collaboration LAPP

Articles dans des revues à comité de lecture

Derniers résultats sur la recherche du boson de Higgs au LHC
Di Ciacio L., Hamel de Monchenault G., Reflets de la Physique 28 (2012) 15-17 <http://hal.in2p3.fr/in2p3-00678310>

Inclusive deep inelastic scattering at high Q^2 with longitudinally polarised lepton beams at HERA

Aaron F.D., **Sauvan E.**, et al., Journal of High Energy Physics 09 (2012) 061 <http://hal.in2p3.fr/in2p3-00713763>

Determination of the integrated luminosity at HERA using elastic QED Compton events

Aaron F.D., **Sauvan E.**, et al., European Physical Journal C72 (2012) 2163 <http://hal.in2p3.fr/in2p3-00716960>

Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA

Aaron F.D., **Sauvan E.**, et al., European Physical Journal C72 (2012) 2175 <http://hal.in2p3.fr/in2p3-00719976>

Measurement of beauty photoproduction near threshold using di-electron events with the H1 detector at HERA

Aaron F.D., **Sauvan E.**, et al., European Physical Journal C72 (2012) 2148 <http://hal.in2p3.fr/in2p3-00711464>

A Large Hadron electron Collider at CERN: Report on the physics and design concepts for machine and detector

Abelleira Fernandez J.L., **Sauvan E.**, et al., Journal of Physics G 39 (2012) 075001 <http://hal.archives-ouvertes.fr/hal-00708470>

Measuring Higgs Couplings from LHC Data
Klute M., **Lafaye R.** et al., Physical Review Letters 109 (2012) 101801 <http://hal.in2p3.fr/in2p3-00746518>

Nonthermal X-rays from low-energy cosmic rays: application to the 6.4 keV line emission from the Arches cluster region

Tatischeff V., Decourchelle A., **Maurin G.**, Astronomy and Astrophysics 546 (2012) 88 <http://hal.in2p3.fr/in2p3-00756649>

Contributions écrites à des conférences avec comité de lecture

Scientific objectives of Einstein telescope

Sathyaprakash B., **Dietz A.**, **Gouaty R.**, **Marion F.**, **Tournefier E.** et al., , Classical & Quantum Gravity 29 (2012) 124013, Contributed paper to 9th Edoardo Amaldi Conf. on Gravitational Waves, Cardiff 2012 <http://hal.in2p3.fr/in2p3-00707024>

The SM and NLO multileg and SM MC working groups: summary report

Alcaraz Maestre L., **Schwoerer M.**, et al., Contributed paper to Physics at TeV Collider, Les Houches 2011, <http://hal.archives-ouvertes.fr/hal-00684456>

Autres Productions

Light sterile neutrinos: a white paper

Abazajian K.N., **Duchesneau D.**, **Pessard H.** et al., <http://hal.in2p3.fr/in2p3-00691450>

European strategy for accelerator-based neutrino physics

Bertolucci S., **Duchesneau D.** et al., soumis à European Strategy for Eur. Particle Physics <http://hal.in2p3.fr/in2p3-00725300>

A Large Hadron electron Collider at CERN

Abelleira Fernandez J.L., **Sauvan E.** et al., <http://hal.archives-ouvertes.fr/hal-00755325>

On the relation of the LHeC and the LHC

Abelleira Fernandez J.L., **Sauvan E.** et al., <http://hal.archives-ouvertes.fr/hal-00755793>